

承認書

APPROVAL SHEET

CUSTOMER: MAP ELECTRONICS CO., LTD

CUSTOMER MODEL NO.: MEGWF-241XULAX-920

DESCRIPTION: #241X Flying Lead Antenna

REV.: 02

DATE: 2015/12/25

Customer Approval	
-------------------	--

Index.


1. Specification	2
1.1 Drawing	2
1.2 Connector	4
1.3 Cable	14
<hr/>	
2. Test report	15
2.1 Electrical test	15
2.2 Pattern test	16

Modification History:

Rev.	Date	Content
00	2015/1/27	
01	2015/4/21	修改下固定座，及電氣規格表
02	2015/12/25	修改接頭料號為U.FL-LP-088

1. Specification

1.1 Drawing



1. Specification

1.1 Drawing

Electrical Properties	
Frequency Range	915~930 MHz
Impedance	50Ω
V.S.W.R.	≤2.0
Radiation	Omni
Gain	Unity
Polarization	Vertical
Wave Length, type	1/2λ, Monopole
Beam Width(±3dB)	30°@E-Plane 360°@H-Plane
Test Ground Size	N/A
Mechanical Properties	
Radome Material	PU/PC
Connector Type	U.FL-LP-068
IP Level	IP-65
Dimension	L=105mm
Weight	6.5 g (est)
Operating Temp.	−20°C ~ +65°C
Storage Temp.	−30°C ~ +70°C